

AB-SK 65 - Support bracket



3026489

<https://www.phoenixcontact.com/nl/producten/3026489>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Support bracket, Bracket for busbars, set every 20 cm, length: 95.5 mm, width: 6.2 mm, number of positions: 1, color: gray



Commercial Data

Item number	3026489
Packing unit	10 pc
Minimum order quantity	1 pc
Sales Key	BE7113
Product Key	BE7113
Catalog Page	Page 571 (C-3-2019)
GTIN	4017918157128
Weight per Piece (including packing)	18,51 g
Weight per Piece (excluding packing)	18,22 g
Customs tariff number	85389099
Country of origin	PL

Technical Data

Product properties

Product type	Support
Number of positions	1

Electrical properties

Nominal current I_N	0 A
-----------------------	-----

Material specifications

Color	gray
Material	PA
Flammability rating according to UL 94	V0
Insulating material	PA

Environmental and real-life conditions

Ambient conditions

Ambient temperature (operation)	-60 °C ... 105 °C (max. short-term operating temperature RTI Elec.)
Ambient temperature (storage/transport)	-25 °C ... 60 °C (for a short time, not exceeding 24 h, -60 °C to +70 °C)
Ambient temperature (assembly)	-5 °C ... 70 °C
Ambient temperature (actuation)	-5 °C ... 70 °C
Permissible humidity (storage/transport)	30 % ... 70 %

Mounting

Mounting type	DIN rail mounting
---------------	-------------------

AB-SK 65 - Support bracket


3026489

<https://www.phoenixcontact.com/nl/producten/3026489>



Drawings

Dimensional drawing



AB-SK 65 - Support bracket



3026489

<https://www.phoenixcontact.com/nl/producten/3026489>

Classifications

ECLASS

ECLASS-10.0.1	27400607
ECLASS-11.0	27400607

ETIM

ETIM 8.0	EC001166
----------	----------

UNSPSC

UNSPSC 21.0	39121700
-------------	----------

AB-SK 65 - Support bracket

3026489

<https://www.phoenixcontact.com/nl/producten/3026489>



Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT B.V.
Hengelder 56 6902 PA Zevenaar
Postbus 246 6900 AE Zevenaar
(0316) 59 17 20
sales@phoenixcontact.nl